



OPERATION AND MAINTENANCE

DEKO FG NATURE

DATE:

SUPPLIER:

SOLUTIONS:

PROJECT:

TEL.:

CLASSIFICATIONS:

EMAIL:

MATERIALS

1. GLASS

Dirt and fingerprints can damage the glass surface. The glass wall should be cleaned regularly.

Apply soap with a wash leather wrung out in lukewarm water, with a mild detergent added. Remove excess water with a squeegee. Dry around the edges with a soft cloth. Go to page 3 for detailed instructions in window cleaning.

Remove minor dirt with an ordinary glass cleaner and a soft cloth. Joints can be cleaned with a cloth wrung out in water with a mild detergent added.

2. RUBBER SEALS


Clean the rubber seals regularly with a cloth wrung out in water with a mild detergent added.

Do not use petroleum or petroleum-based products for cleaning, as they can cause the rubber seals to shrink.

3. WOODEN PROFILES

The frame profiles are supplied as standard in varnished oak veneer, with a core aluminium profile. The frame profiles can be wiped off with a dry cloth, and dirt removed with a cloth well-wring in clean water, water with a mild detergent added.

The wood must not be left wet for long periods. Water and soap deposits must be wiped off immediately. Never let end wood get wet.



WASHING INSTRUCTIONS FOR GLASS

CLEANING GLASS WALLS IN GENERAL:

The glass surface can be scratched. It is therefore important that it is washed and dried correctly. Exercise extra caution the first time, as dust and contaminants from the building site can be attached to the glass, increasing the risk of scratches and damage.

THE FOLLOWING PRECAUTIONS ARE IMPORTANT:

- Avoid the use of sharp objects.
- Rinse with plenty of water.
- Replace water frequently, especially after washing outdoors.

GUIDELINES FOR WASHING GLASS WALLS:

- Use copious amounts of lukewarm/cold water with a mild detergent added.
- Use a new, soft cloth or synthetic sponge for applying soap to the glass.
- Use a new squeegee with intact blade, and a new wash leather to dry off.
- Never use a natural sponge or hard brushes, never add chemicals to the water, e.g. ammonia, alcohol, benzine etc.

PROCEDURE:

- Apply plenty of soapy water to the glass to loosen dirt and contaminants.
- Dry off with a squeegee working from '1' as shown on the diagram.
- Move the squeegee in one direction without changing direction during drying off.
- Wipe of the edges with a wash leather.

